



08-25-04

- 1 -

PATENT

B
Blw

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: Patent Application of : Group Art Unit: 1713
Jawahar C. Parekh et al. :
Serial No.: 09/960,097 : Examiner: Peter D.
Mulcahy
Filed: September 21, 2001 :
For: HALOGEN SCAVENGERS FOR : Attorney Docket
POLYMERS AND COPOLYMERS : No. GC REH 017

Honorable Commissioner of Patents
Mail Stop Issue Fee
P.O. Box 1450
Alexandria, VA 223-1450

Sir:

RESPONSE TO NOTICE OF MISSING DRAWING

This is in response to USPTO Notice of Drawing Inconsistency with Specification
(copy attached) mailed on August 3, 2004, in the above identified application.

Attached is the missing Figure 1 listed in the Brief Description of the Drawings in
the specification.

Respectfully submitted,

Arthur J. Plantamura
Attorney for Applicants
Reg. No. 17724



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/960,097	09/21/2001	Jawahar C. Parekh	GC-REH 017	5070

7590 08/03/2004

Arthur J. Plantamura
Reheis, Inc.
c/o General Chemical Corporation
90 East Halsey Rd.
Parsippany, NJ 07054



EXAMINER


MULCAHY, PETER D

ART UNIT	PAPER NUMBER
----------	--------------

1713

DATE MAILED: 08/03/2004

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND
DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

The drawings filed have been received. However, an inconsistency exists between the drawings and the Brief Description of the Drawings in the specification.

Figures 1 are listed in the Brief Description of the Drawings in the specification but not contained in the Drawings.

Figures are contained in the Drawings but not listed in the Brief Description of the Drawings in the specification.

Applicant is required to correct the above-noted inconsistency within a time period of **ONE MONTH or THIRTY (30) DAYS, whichever is longer**, from the mailing date of this Notice, or within the time remaining in the time period set forth in the Notice of Allowability (Form PTOL-37) to file corrected drawings, whichever is longer. **NO EXTENSION OF THIS TIME PERIOD MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) OR (b)**

Failure to correct the above noted inconsistency will result in **abandonment** of the application.

The file will be held in the Publishing Division to await the correction of the inconsistency.

Return Corrected Drawings/Specification to:

Mail Stop Issue Fee
Commissioner for Patents
P.O. Box 1450

Alexandria, VA 22313-1450

Office of Patent Publication/Publishing Division
Customer Service: 703-308-6789
1-888-786-0101

FORM PTO-1631 (REV. 10-03)